



---

**Specification**  
**SERCOS interface**  
**Version 2.2 (November 2001)**

---

**Project:** SERCOS interface 16 Mbit/s  
**Document Type** Specification  
**File:** sercos16-v2\_2en.doc

**Author:** Rigobert Kynast (Chairman TWG-IGS)

The Interests Group SERCOS interface e. V. is not liable for any errors in this documentation. Liability for direct and indirect damages arising in connection with the supply of this documentation is excluded in so far as it can be attached legally.

This documentation contains copyright-protected information.

All rights, especially the right of duplication, distribution and translation, are reserved. No portion of the documentation may be reproduced, copied or distributed in any form (photocopy, microfilm or other process) without advance written permission of the Interests Group SERCOS interface e. V.

Published by

Interests Group SERCOS interface e. V.  
Landhausstr. 20  
D - 70190 Stuttgart  
Phone: +49(0)711-28457-50  
Fax: +49(0)711-28457-55  
E-Mail: [info@sercos.de](mailto:info@sercos.de)

## CONTENTS

1	Scope .....	9
2	Normative references .....	9
3	Definitions and abbreviations .....	9
3.1	Definitions .....	9
3.2	Abbreviations .....	11
4	General requirements .....	15
4.1	Overview .....	15
4.2	System overview .....	16
4.3	Data transmission .....	21
4.4	Initialization .....	25
4.5	Error and status messages .....	26
5	Transfer medium and physical layer .....	27
5.1	General .....	27
5.2	Topology .....	27
5.3	Optical signals on the transmission line .....	29
5.4	Time performance of bit transmission .....	32
5.5	Bit coding .....	38
5.6	Telegrams and fill characters .....	39
5.7	Connection to the optical fibre .....	39
6	Data transfer and data link layer .....	45
6.1	General .....	45
6.2	Telegram structure .....	46
6.3	Timing of the transmission (communication cycles) .....	48
6.4	Synchronization mechanisms .....	51
7	Protocol structure .....	53
7.1	General .....	53
7.2	General protocol structure .....	54
7.3	Cyclic data exchange (CP4) .....	55
7.4	Non-cyclic data exchange (service channel) .....	66
7.5	File Transfer .....	79
8	Data contents .....	88
8.1	Data types and data structure .....	88
8.2	General parameters .....	94
8.3	Definition of telegram contents .....	99
8.4	Drive operation modes .....	101
8.5	Standard operation data .....	103
8.6	Scaling of operation data .....	105
8.7	Drive parameters .....	111
8.8	Mechanics .....	116
9	Initialization of the SERCOS interface .....	117
9.1	General .....	117
9.2	Communication phase 0 (CP0) .....	118
9.3	Communication phase 1 (CP1) .....	118
9.4	Communication phase 2 (CP2) .....	120
9.5	Communication phase 3 (CP3) .....	121
9.6	Communication phase 4 (CP4) – end of initialization .....	122
9.7	Switching to communication phase 0 (CP0) .....	122
10	Error handling .....	123
10.1	Drive safety functions .....	123

## SERCOS interface

10.2	Failure of telegrams .....	123
10.3	Changing the communication phases.....	125
10.4	Monitoring (overview).....	125
10.5	Reaction to handshake timeout .....	126
10.6	Reaction to error messages in the service channel.....	127
10.7	Error counters in the master and the slave.....	127
11	Functional sequences .....	129
11.1	General.....	129
11.2	Allocation of real-time bits.....	129
11.3	Homing .....	131
11.4	Measurements .....	136
11.5	Position spindle procedure command.....	137
11.6	Switching of parameter sets and the gear ratio .....	140
11.7	Starting/stopping functions.....	140
11.8	Park axis procedure command .....	142
11.9	Positive stop drive procedure command.....	143
11.10	Drive controlled synchronous operation procedure command .....	143
11.11	Drive controlled gear engaging procedure command .....	145
11.12	Velocity window .....	146
11.13	Data container .....	148
A	Annex A (normative) - Identification numbers in numerical order.....	150
B	Annex B (normative) - Identification numbers in alphabetical order .....	158
C	Annex C (normative) - Description of IDNs .....	159
D	Annex D (normative) - SERCOS interface – Compliance classes.....	233
D.1	Introduction .....	233
D.2	SERCOS interface required parameters for compliance class A .....	234
D.3	SERCOS interface compliance class B .....	235
D.4	SERCOS interface compliance class C.....	238
D.5	Additional functions .....	240
D.6	Communication cycle times .....	244
E	Annex E (normative) - Coded character set.....	245
F	Annex F (informative) - Functional principles of the repeater circuit.....	246
G	Annex G (informative) - Attenuation on the transmission line.....	249
H	Annex H (informative) - Determination of the transmission timeslots .....	250
I	Annex I (informative) - Processing operation data .....	254
J	Annex J (informative) - Procedure command execution .....	260

Tables	Page
1	Number of drives per ring (examples) ..... 16
2	Typical operation data for cyclic transmission ..... 19
3	Typical data for non-cyclic transmission ..... 19
4	Transmitter specifications (all data for $\lambda_p$ ) ..... 30
5	Receiver specifications (all data for $\lambda_p$ ) ..... 30
6	Cable specifications (example) ..... 31
7	System data of the optical transmission line ..... 31
8	Transmission data parameters ..... 35
9	Possible slave input signals ..... 37
10	Possible slave output signals ..... 37
11	Valid slave output signals ..... 38
12	Specifications of the clock adjustment times ..... 38
13	Basic functions of the connection ..... 40
14	Address field values during transmitting ..... 46
15	Address field values during reception ..... 47
16	Error messages ..... 71
17	Procedure command control ..... 74
18	Procedure command acknowledgment (data status) ..... 74
19	Structure of drive operation modes ..... 102
20	Loss or failure of master synchronization telegram (MST) ..... 124
21	Failure of master data telegrams (MDT) ..... 124
22	Failure of drive telegrams (AT) ..... 125
23	States of error counters 1 in the master for MST and AT failures ..... 127
24	States of error counter 1 in the drives for MST-failures in CP3 and CP4 ..... 127
25	States of error counter 1 in the drives for MDT-failures in CP4 ..... 127
26	States of error counters 2 in the master for AT-failures ..... 127
27	States of error counter 2 in the drives for MST-failures ..... 128
28	States of error counter 2 in the drives for MDT-failures ..... 128

## SERCOS interface

Figures	Page
1	Topology..... 17
2	Operation modes..... 18
3	Overview of data field structure (CP3 and CP4)..... 21
4	Transfer layers..... 22
5	Timed access method..... 22
6	Communication cycle..... 23
7	Topology..... 28
8	Optical transmission line..... 29
9	Structure of a single-core cable (example)..... 31
10	Optical power levels..... 32
11	Optical signal envelope..... 35
12	Display of jitter ( $J_{noise}$ )..... 35
13	Input-output performance of a slave..... 36
14	Example of an NRZI-coded signal..... 39
15	General telegram structure..... 39
16	Fill signal..... 39
17	Functions of a master connection..... 40
18	Valid transmitting signals during transition from fill signal to telegram delimiter..... 42
19	Valid transmitting signals during transition from telegram delimiter to fill signal..... 43
20	Functions of a slave connection..... 43
21	Ring with two slaves..... 45
22	Access to the transfer medium..... 49
23	Required time intervals between telegrams..... 51
24	Validity of command values and feedback acquisition time in the drives..... 51
25	Synchronization of cycle times..... 52
26	Synchronization of the control loops and the fine interpolator..... 53
27	Data block structure..... 53
28	Data fields of the Master Data Telegram..... 54
29	Data field of the Drive Telegram..... 54
30	Structure of the Master Synchronization Telegram..... 55
31	BOF field..... 55
32	ADR field..... 56
33	MST-INFO field..... 56
34	FCS field..... 56
35	EOF field..... 57
36	Structure of the Master Data Telegram..... 58
37	Master service INFO field k..... 60
38	Operation data of the MDT..... 60
39	Example of MDT (standard telegram 2 for velocity control operation mode)..... 61
40	Structure of the Drive Telegram..... 61
41	Drive service INFO field m..... 64
42	Operation data of the AT..... 64
43	Example of a Drive Telegram (standard telegram 2 for velocity control operation mode)..... 65
44	Timing diagram for cyclic operation..... 65
45	Function of the real-time bits..... 66
46	Service channel data transport scheme..... 67
47	Service channel handling diagram..... 68
48	Communications step proceeding diagram..... 70
49	State machine for procedure command execution..... 76
50	Interaction of procedure command control and acknowledgement..... 77
51	Procedure command execution without interrupt..... 78
52	Procedure command execution with interrupt..... 78
53	Procedure command execution with error message..... 79
54	Phase transitions..... 80
55	Telegram transmission times in CP5..... 80
56	Structure of MDT in CP5..... 81
57	Structure of AT in CP5..... 82
58	Timing of U/D bits in CP5..... 84
59	Telegram transmission times in CP6..... 84
60	Structure of MDT in CP6..... 85
61	Structure of AT in CP6..... 86
62	Timing of U/D bits in CP6..... 88
63	Timing diagram for CP3/4..... 96

Figures		Page
64	Block diagram of operation modes .....	103
65	Polarity parameter .....	103
66	Position data scaling type diagram .....	107
67	Velocity data scaling type diagram .....	109
68	Torque/force data scaling type diagram .....	110
69	Acceleration/jerk data scaling type diagram .....	111
70	Adaptation of the velocity loop proportional gain .....	112
71	Adaptation of the velocity loop integral action time .....	112
72	Synchronous spindle operation diagram (example).....	115
73	Electronic gearing diagram (example).....	116
74	Timing diagram for CP0 .....	118
75	Structure of the ID request telegram .....	119
76	Structure of the ID acknowledge telegram.....	119
77	Telegram transmission starting times of CP1 and CP2 .....	119
78	Switching to CP0 .....	123
79	Allocation of IDN $\neq$ 0 to the real-time bits (no other allocation was active before).....	129
80	Allocation of IDN = 0 to the real-time bits (another allocation was active before) .....	130
81	Allocation of IDN $\neq$ 0 to the real-time bits (another allocation was active before).....	131
82	Bit sequence for drive controlled homing .....	131
83	Drive controlled homing diagram .....	132
84	Bit sequence for control unit controlled homing (case 1).....	133
85	Bit sequence for control unit controlled homing (case 2.1) .....	134
86	Bit sequence for control unit controlled homing (case 2.2) .....	134
87	Incremental feedback system .....	135
88	Distance-coded feedback system .....	135
89	Bit sequence to activate the displacement to the referenced system .....	136
90	Bit sequence for measuring.....	137
91	Velocity diagram for spindle positioning (Velocity feedback > spindle positioning speed) .....	138
92	Velocity diagram for spindle positioning (Velocity feedback $\leq$ spindle positioning speed) .....	138
93	Velocity diagram for spindle positioning (Velocity feedback = 0).....	139
94	Bit sequence while writing new position values (IDN 00153 or 00180) .....	139
95	Bit sequence for switching spindle positioning mode .....	140
96	Bit sequence for switching parameter sets and/or gear ratio .....	140
97	Bit sequence during start-up .....	141
98	Bit sequence during shut-down.....	142
99	Bit sequence for C1D error .....	142
100	Bit sequence for park axis.....	142
101	Bit sequence for positive stop drive .....	143
102	Velocity diagram for lead and synchronous spindle during angle synchronous operation mode .....	144
103	Position feedback diagram for lead and synchronous spindle during angle synchronous operation mode.....	145
104	Drive controlled gear engaging procedure command .....	146
105	Velocity window .....	147
106	n feedback = n command Depiction .....	147
107	Data container configuration without acknowledge (example).....	148
108	Data container configuration with acknowledge (example) .....	149
C.1	Example of the structure of an IDN list .....	163
C.2	Example of the configuration of the signal status word .....	165
C.3	Structure of slave arrangement (example) .....	174
C.4	Configuration example of signal status word .....	216
D.1	Compliance class structure .....	233
F.1	Example of an implemented DPLL .....	247
F.2	DPLL status diagram .....	248
F.3	DPLL timing .....	248
H.1	Determination of the AT transmission starting time.....	251
H.2	Determination of the MDT transmission starting time .....	251
H.3	Evaluation of $t_{MTSY}$ .....	252
H.4	Determination of command value valid time .....	253
H.5	Determination of feedback acquisition capture point.....	253
I.1	Explanation of processing operation data examples .....	254
I.2	Examples of processing operation data .....	259

SERCOS interface

Figures		Page
J.1	Explanation of procedure command execution examples .....	260
J.2	Examples of procedure command executions.....	265